Alignment Accessories

HUNTER
Engineering Company

CodeLink®

The New Last Step in Alignment Service

CodeLink® directly "links" the vehicle OBD-II to the aligner to reset steering system sensors, as required by the manufacturer.

20-2150-1 CodeLink with XF2 Pod Kit*
Data link from WinAlign to the vehicle OBD-II (J1962) connector. Order this kit if you want wireless capability and do not currently own an XF2 Pod Kit. Includes CodeLink device, XF2 Pod Kit, and J1962 cable. Also includes a burndy cable that may be used to connect the CodeLink device to the alignment console.

Steering system reset typically involves resetting the steering angle sensor, but on some vehicles, torque angle, yaw rate and other steering-related sensors are also reset.

CodeLink handles them all with a single, integrated procedure.

Which OEMs require resets?
Audi • BMW • Chevy • Ford • Hyundai • Infiniti • Lexus • Mazda • Mercury • MINI • Nissan • Pontiac • Saturn • Scion • Toyota • Volkswagen

20-2151-1 CodeLink without XF2 Pod Kit*
Data link from WinAlign to the vehicle OBD-II (J1962) connector. Order this kit if you currently own an XF2 Pod Kit or you do not want wireless capability. Includes CodeLink device and J1962 cable. Also includes a burndy cable that may be used to connect the CodeLink device to the alignment console.

20-2333-1 BMW 20-Pin Cable
CodeLink connection cable required for 2001 and older BMW models with Dynamic Stability Control (DSC).

**Requires WinAlign version 11.0 or greater software. CodeLink is not compatible with PA consoles.*

Hunter Remote Indicators Speed Alignment Service

Hunter Remote Indicators provide the operator complete control of the alignment system while making adjustments to the vehicle.

- ✔ Displays measurements
- ✔ Functions as a remote control
- ✔ Eliminates need for a separate remote control under the vehicle
- ✔ Allows the technician to perform rolling compensation when the console is out of view

30-418-1 Cordless** Plus Remote Indicator Easily Records Tire and Suspension Measurements

Hunter's Plus Remote Indicator refines your alignment service by measuring tire temperature and frame angle and letting you enter in values for tire pressure, tread depth and ride height without repeated trips back to the console.

Includes:	20-2056-1	Hanger kit with remote hanger recharge
	38-944-3	30-foot cable
	27-13-2	Tire temperature probe

For use with WA Series and Series 811 aligners using WinAlign® alignment software version 9.0 and greater.

30-421-1 Cordless** Icon Remote Indicator

Cordless Icon Remote Indicator is compatible with WA Series, Series 811, Series 611 with USB support and PA100 aligners.

Includes:	20-2056-1	Hanger kit with remote hanger recharge
	38-944-3	30-foot cable

For use with WinAlign alignment software version 1.5.1 and greater.

30-419-1 Icon Remote Indicator

Icon Remote Indicator is compatible with WA Series, Series 111/211/311/411/511/611/811 and PA100 aligners.

Includes:	20-2055-1	Hanger kit
	38-944-3	30-foot cable

For use with WinAlign alignment software version 1.5.1 and greater.

***Cordless communication requires 20-2072-1 XF2 Pod Kit.*

QuickGrip™ Adaptor Accessories

20-2528-1 Storage Bracket Kit
Provides storage for adaptors on console, lift, HawkEye Elite™ sensor column, or Roll-Around Storage Cart Kit (20-2552-1). Standard with HawkEye Elite sensors.

Kit 20-2528-1 includes four brackets

20-2563-1 Protective Ring Replacement Kit
Attaches to adaptor base to protect rims. Standard with HawkEye Elite sensors.



Kit 20-2563-1 includes four rings

20-2521-1 Adjustable Tire Hook Kit
Covers clamping range of 20" to 36" tires (outside diameter).



Kit 20-2521-1 includes eight hooks

20-2819-1 Roll-Around Carts with Drivers-side Accessory Storage
Provides convenient access to adaptors when you need them and convenient drivers side storage. Contains 20-2552-1 and 20-2792-1.

20-2792-1 Drivers-side Accessories Storage Upgrade for 20-2552-1 Cart

20-2552-1 Roll-Around Storage Cart Kit
Provides convenient access to adaptors when you need them and convenient storage when you don't. (kit includes two carts)

20-2621-1 Medium-Duty Truck Spacer Kit
This kit contains 4 spacers for medium-duty trucks. These spacers may be used with kit 20-2640-1.

20-2638-1 Complete Medium-Duty Truck Kit
Contains 20-2621-1 and 20-2640-1.

20-2640-1 Medium-Duty Truck Tire Hook Kit
Set of 8 two-position adjustable black tire hooks.

20-2639-1 Adjustable Tire Hook Kit
This kit contains 2 pair of adjustable tire hooks to handle very limited clearance applications encountered on the front axles of modified and some European model vehicles.

Wheel-Off Adjustment Kits

Make fast, accurate alignment adjustments… with the wheel removed!

Wheel-Off Adjustment Kits allow the installation of alignment targets or sensors on hubs to ease adjustments with the wheel out of the way.

- ✔ Creates easy access to alignment points
- ✔ Applicable on more than 30% of vehicles in production
- ✔ Kits cover all Hunter target and sensor designs

Kit 20-1978-1 includes two adaptors

20-1978-1 Wheel-Off Adaptor Kit
Adaptors mount directly to the hub bolts once the wheel is removed. Requires WinAlign software version 9.0 or greater.

Kit 20-1979-1 includes two adaptors

20-1979-1 Wheel-Off Adjustment Kit
Magnetic adaptors attach to the rotor once the wheel is removed. Requires WinAlign software version 9.0 or greater and 20-1978-1 Wheel-Off Adjustment Kit.

Kit 20-2513-1 includes two adaptors

20-2513-1 Self-Centering Adaptors for TD Targets
Adaptors required to perform wheel-off adjustments using TD Targets. Also requires 20-1978-1 Wheel-Off Adjustment Kit.

TD Target mounted on 20-2513-1

20-2664-1 TD Target Wheel-Off Adjustment Kit
Kit includes 20-1978-1 and 20-2577-1.

Live Ride Height Measurement and Adjustment System for HE421, HS401 and DSP600 Sensors

Ride Height can change over time as a vehicle ages. These changes in ride height can prevent proper alignment.

- ✔ Hunter Live Ride Height Adjustment allows the technician to easily measure, adjust, jounce and confirm ride height.
- ✔ Accurately adjust ride height in just one trip around the car.
- ✔ Make ride height adjustments in half the time.
- ✔ Integrate with WinAlign Tuner™ software to better service modified vehicles.
- ✔ Use the Suspension Body Dimension Audit to determine alignability or need for collision repairs.

Suspension Body Dimension Audit Option
The patented Suspension Body Dimension Audit (SBDA) option provides a quick audit to determine if the vehicle is alignable and identifies the potential need for body shop procedures by measuring ride height, body angle, body wheel offset, body wheel setback and body roll.

Requires 20-2050-1 Live Ride Height Measurement Kit and WinAlign® software version 9.0 or greater.

20-2050-1 Live Ride Height Measurement Kit
Includes four targets used for measuring ride height. Requires a WA Series or Series 811 console with WinAlign software version 9.0 or greater and HE421, HS401 or DSP600 sensors.

20-1885-1 Hand-Held Ride Height Remote Kit
Measures ride height and functions as a remote for operating the aligner console during ride height measurement procedures.

Kit 20-1885-1 is compatible with WA Series and Series 811 consoles shipped after September 1, 2004. Series 811 consoles shipped prior to September 1, 2004 require kit 20-1928-1. Also requires WinAlign software version 7.2.1 or greater.

Self-Centering Wheel Adaptors

For Hunter HS401, DSP700, DSP600 and DSP500 Wheel Alignment Sensors

Extended range fits 10" to 24.5" (254 mm to 622 mm) rims

20-2375-1 Dual-Purpose Sensor and Adaptor Mounting Kit
Set of four brackets that may be mounted to HS401 columns, alignment consoles or in a horizontal position for use on RX lifts. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.

175-325-1 Self-Centering Wheel Adaptor
Wheel adaptor for DSP600 Hexagonal or HS401 High-Definition Alignment Targets.

175-321-1 Self-Centering Wheel Adaptor
Wheel adaptor for DSP700 and DSP500 Alignment Sensors.

20-1789-1 Tire Clamp Adaptor
Clamps wheel adaptors on tires with an outside dimension of 21” (533 mm) to 40” (1016 mm). Ideal for rims without rim lips or when space between tire and rim is limited. Grips onto tire treads and protects alloy wheels from damage. Required for use with PAX System Wheels. Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.

20-1558-1 Tire Clamp Adaptor
Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors. Grips tread of tires 21” to 40” outside diameter.

20-1559-1 Upgrade Kit for Tire Clamp Adaptor Kit 20-1108-1
Replaces the current tire hooks on kit 20-1108-1, increasing maximum tire range from 28” to 40”. Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors.

20-1792-1 Wheel Adaptor Extensions
Increase maximum rim range of self-centering adaptors from 24.5" (622mm) to 28" (711mm). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.

Kit 20-1792-1 contains 16 pieces, four for each adaptor.

175-214-1	**BMW Quick Clamp Adaptor**	Hunter Quick Clamp Adaptor approved by BMW. BMW special adaptors with large tire hooks and 100 mm pins. For use with all HawkEye HS401 and DSP sensors. ***(Replacement only for older installations. For new installations, use 175-348-1.)***
175-215-1	**Mercedes-Benz Clamp Adaptor**	Hunter Quick Clamp Adaptor approved by Mercedes-Benz. Mercedes-Benz special adaptors with large tire hooks and 100 mm pins. For use with all HawkEye HS401 and DSP sensors. ***(Replacement only for older installations. For new installations, use 175-349-1.)***
20-1329-1	**Mercedes-Benz 100 mm Pin Kit**	Use with Mercedes-Benz Clamp Adaptors 175-349-1 and 175-215-1 (one kit covers one adaptor).
20-1857-1	**Long Hooks for Special Adaptors**	Long hooks for BMW and Mercedes-Benz Clamp Adaptors. May be used with 175-214-1 and 175-215-1 Clamp Adaptors. Standard on 175-348-1 BMW Quick Clamp Adaptors.
20-1097-1	**Wheel Adaptor Extensions**	Increases maximum wheel diameter on self-centering adaptors by 2 1/2 inches. Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors.
20-551-1	**Spade Sleeve Kit**	Includes eight Rim Stud Sleeves (106-70-2) and eight Storage Plug Assemblies (one kit covers two adaptors).
20-1688-1	**Additional Rim Stud Retainers**	For 16" - 20" wheel adaptors. Includes eight rim stud retainers (one kit covers two adaptors).
20-1578-1	**Mag Wheel Short Kit**	Includes four Mag Assembly Adaptors (175-63-3) (one kit covers one adaptor).
20-550-1	**Rubber Pad Sleeve Kit**	Includes four each of the following: 175-37-3 Mag Assembly Adaptor and 175-63-3 Mag Assembly Adaptor (one kit covers two adaptors).

20-1898-1 Rim Stud Retainer Kit
Rim Stud Retainers for mounting adaptors. Compatible with all current production slip-on spade sleeves. Standard and compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors. Kit includes eight retainers covering two adaptors.

20-823-1 Rim Stud Extension Kit
Kit includes eight Rim Stud Extensions (134-81-1), covering two adaptors.

20-1522-1 Spade Sleeve Kit
Kit includes eight Rim Guard Tire Sleeves (106-118-2), covering two adaptors.

20-831-1 Spade Sleeve Kit
Kit includes eight Rim Stud Sleeves (106-70-2), covering two adaptors. Standard with 175-34-1 and 175-325-1 Self-Centering Adaptors.

175-348-1 BMW Quick Clamp Adaptor
Hunter Quick Clamp Adaptor approved by BMW. BMW special adaptors with large tire hooks and 120 mm pins. For use with all HawkEye HS401 and DSP sensors.

175-349-1 Mercedes-Benz Clamp Adaptor
Hunter Quick Clamp Adaptor approved by Mercedes-Benz. Mercedes-Benz special adaptors with large tire hooks and 100 mm pins. For use with all HawkEye HS401 and DSP sensors.

20-1867-1 BMW 120 mm Pin Kit
120 mm pins are standard on 175-348-1 Quick Clamp Adaptors. May also be used with 175-214-1 Quick Clamp Adaptors for some specialty wheels with deeper offsets. One kit covers four adaptors.

20-1842-1 Adaptor Upgrade Kit for HS401, HS400, DSP600 and DSP400 Sensors
For mounting to sensor columns. Includes four 175-325-1 Self-Centering Adaptors (clamping range 10" - 24.5"), four storage brackets and mounting hardware.

20-1841-1 Adaptor Upgrade Kit for HS401, HS400, DSP600 and DSP400 Sensors
For mounting to aligner cabinet or wall. Includes four 175-325-1 Self-Centering Adaptors (clamping range 10" - 24.5"), four storage brackets and 20-1822-1 Instrument Support Adaptor Plate Kit.

20-1770-1	**Instrument Support Kit**	Set of four brackets mount to DSP600 or DSP400 columns. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.
20-1762-1	**Instrument Support Adaptor Plate Kit**	Set of four adaptor plates allow DSP500 hangers to be mounted to alignment cabinets that only have mounting holes for older, horseshoe-style sensor supports. Does not include DSP500 Sensor hangers.
20-1427-1	**Instrument Support Kit**	Set of four brackets mount to two-post and four-post Hunter lift rack columns. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-200-1, 175-285-1, 175-304-1 and 175-305-1 Self-Centering Adaptors.
20-1822-1	**Instrument Support Adaptor Plate Kit**	Set of four adaptor plates allow 20-1770-1 Bracket Kit to be mounted to walls or alignment cabinets. Does not include 20-1770-1 Kit.
20-1446-1	**Safety Hook Assembly**	Set of four, compatible with 39-22-1, 39-25-1, and 39-44-1 safety cables. Includes four Safety Cable Hook Assemblies (216-58-1).
20-2193-1	**Instrument Support Kit**	Set of four adaptor plates allow HS401 hangers to be mounted to walls or alignment cabinets. Does not include sensor hangers.

Sensor Accessories

20-1864-1	**AC Conversion Kit**	Allows the Five Position Battery Charger (20-1832-1) to be used as a free-standing charger without using the aligner power supply.
20-1488-1	**Auxiliary DSP Sensor Charging Station**	Provides a second charging station where cordless sensors and HS401, DSP600 or DSP400 Sensors are being used with the same console.
194-18-2	**Cordless Sensor Battery**	For DSP200 and DSP300 Sensors.
194-23-2	**Cordless Sensor Battery**	For DSP500 Sensors, 30-418-1 Cordless Plus Remote Indicator and 30-421-1 Icon Remote Cordless Remote Indicator.

20-1899-1 Instrument Support Kit
For use with Mercedes-Benz and BMW Quick Clamp Adaptors and DSP500 Sensors.

20-1900-1 Instrument Support Kit
For use with Mercedes-Benz and BMW Quick Clamp Adaptors and HawkEye HS401 and DSP600 Sensors.

20-2187-1 Instrument Support Plate Kit
Set of four brackets mount to HS401 columns. The brackets will hold self-centering wheel adaptors and sensors/targets (not suitable for cordless sensors). Compatible with 175-321-1 and 175-325-1 Self-Centering Adaptors.



20-1832-1 Five-Position Battery Charger
Provides a charging station for up to five DSP500 Sensor batteries. The charger can be mounted in “S” (compact), “R” (large) cabinets built after September 2003 or as a freestanding charger using the AC Conversion Kit (20-1864-1).

Drawer Organizer Kit

20-2199-1 Drawer Organizer Kit
Provides dividers and tool and part organizers for the drawers on WA445, WA444, WA245, WA244, R811P and R611P consoles. Does not include 20-1561-3 Alignment Tool Kit or 20-1575-3 Shim/Bushing/CAM Assortment.

** Drawer Organizer Kit requires a four-week lead time.*

Shim/Bushing/CAM Assortment

20-1575-3 Shim/Bushing/CAM Assortment
This kit contains many of the more commonly used shim, bushing and CAM correction kits.
Kit includes:

RP5-42-778 1997-2003 F150 DEG CAM BOLT 2-1/2 (2 EA.)
RP5-42-951 CAST/CAMB BUSHING 1/4 (1 EA.)
RP5-42-952 CAST/CAMB BUSHING 1/2 (1 EA.)
RP5-42-953 CAST/CAMB BUSHING 3/4 (1 EA.)
RP5-42-954 CAST/CAMB BUSHING 1 (1 EA.)
RP5-42-955 CAST/CAMB BUSHING 1-1/4 (1 EA.)
RP5-42-956 CAST/CAMB BUSHING 1-1/2 (1 EA.)
RP5-42-957 CAST/CAMB BUSHING 1-3/4 (1 EA.)
RP5-42-958 CAST/CAMB BUSHING 2 (1 EA.)
RP5-42-959 CAST/CAMB BUSHING 2-1/4 (1 EA.)
RP5-42-960 CAST/CAMB BUSHING 2-1/2 (1 EA.)
RP5-42-961 CAST/CAMB BUSHING 2-3/4 (1 EA.)
RP5-44-5001 4WD BUSHING (1 EA.)
RP5-44-5002 4WD BUSHING (1 EA.)
RP5-44-5003 4WD BUSHING (1 EA.)
RP5-44-5004 4WD BUSHING (1 EA.)
RP5-44-5005 4WD BUSHING (1 EA.)
RP5-44-5006 4WD BUSHING (1 EA.)
RP5-44-5007 4WD BUSHING (1 EA.)
RP5-44-5008 4WD BUSHING (1 EA.)
RP5-44-5009 4WD BUSHING (1 EA.)
RP5-44-5010 4WD BUSHING (1 EA.)
RP5-44-768 SHIM EXPLORER/RANGER (1 EA.)
RP5-44-786 SHIM 2003 EXPEDITION (1 EA.)
RP5-44-789 SHIM 2004 F150 (1 EA.)
RP5-44-792 SHIM 2003 DODGE 1/2-TN. TRUCKS (1 EA.)
RP5-41-147 KIT-MAGNA CAM 12MM (1 EA.)
RP5-41-157 HEAVY-DUTY 9/16-IN. MAGNA CAM (1 EA.)
RP5-41-158 KIT-MAGNA CAM 14MM (1 EA.)
RP5-41-160 KIT-MAGNA CAM 16MM (1 EA.)
RP5-46-2100 UNIVERSAL BLUE SHIM [0 – 1-1/2] (2 EA.)
RP5-46-2200 UNIVERSAL WHITE SHIM [0 – 1-1/2] (2 EA.)
RP5-46-2300 UNIVERSAL GRAY SHIM [0 – 1-1/2] (2 EA.)
RP5-46-2400 UNIVERSAL BURG. SHIM [0 – 1-1/2] (2 EA.)
RP5-46-1121 SHIM-1/4 DEGREE GREEN (1 EA.)
RP5-46-1122 SHIM-1/2 DEGREE GREEN (1 EA.)
RP5-46-1123 SHIM-3/4 DEGREE GREEN (1 EA.)
RP5-46-1124 SHIM-1 DEGREE GREEN (1 EA.)

Alignment Tool Kit

RP5-88-343

RP5-88-1110

RP5-88-7099

RP5-88-7101

RP5-88-7102

RP5-88-7103

RP5-88-7201

RP5-88-7203

RP5-88-7491

RP5-88-8923

RP5-88-9200

RP5-88-9480

20-2198-3 Alignment Tool Kit
This kit contains many of the more commonly used correction tools. Kit includes:

RP5-88-343	Full contact/dual angle rear shim tab cutting tool works equally well on both the original design or the new SYSTEM 2000 universal design
RP5-88-1110	3/8-in. drive bolt/nut remover
RP5-88-7095	Tie rod adjuster for compact vehicles (not shown)
RP5-88-7096	Tie rod adjuster for full-size vehicles (not shown)
RP5-88-7097	Lt. truck tie rod tool for 1/2-in. drive (not shown)
RP5-88-7098	Toe adjuster for Ford Super-Duty (not shown)
RP5-88-7099	Tie rod adjusting tool
RP5-88-7101	Tie rod adjuster for Chrysler “LH” models
RP5-88-7102	Tie rod stabilizer for Chrysler “LH” models
RP5-88-7103	Tie rod wrench for Chrysler “LH”
RP5-88-7201	Sleeve adjusting tool
RP5-88-7203	Sleeve outer wrench for Chrysler “LH”
RP5-88-7301	Universal Inner Tie Rod Socket (not shown)
RP5-88-7491	GM upper control arm knock out tool
RP5-88-8923	GM “W” body rear toe adjuster
RP5-88-8925	Camaro/Firebird (1994 & newer) caster/camber adjuster (not shown)
RP5-88-8927	Camber/caster adjusting tool (not shown)
RP5-88-9200	Taurus/Sable sedan rear toe adjuster
RP5-88-9480	Magnetic camber change gauge

Software Upgrades & Services

20-1970-1 Digital-PHOTO
Provides digital inspection and adjustment photos for new or existing WA100 or 811 consoles with WinAlign 8.X or higher. Standard with WA400 and WA200 consoles. More than 4,000 vehicle-specific digital photos improve productivity by quickly identifying adjustment and inspection points.

20-1971-1 Combination Digital-PHOTO/VIDEO
Provides digital inspection and adjustment photos for new or existing WA100 or 811 consoles with WinAlign 8.X or higher. Standard with WA400 and WA200 consoles. More than 400 live videos cover vehicle adjustments, inspection of components, use of special tools, installation of after-market correction kits and equipment operation for over 90% of cars and light trucks sold in the U.S.

Console Accessories & System Upgrades

20-2538-1 VIN Bar Code Reader Kit
Includes a 2D Bar Code Reader and shelf.

20-2389-1 Bar Code Reader Storage Tray
Provides a storage tray for a bar code reader cradle and an alternative mounting for the bar code reader itself. (Bar Code Reader not included)

Kit 20-2389-1 Bar Code Reader Storage Tray shown

69-788-2 Equipment Cover
For P111/211/411/611 W workbench cabinets.

69-787-2 Equipment Cover
For 211/411/611/611P M mobile cabinet models.

69-1025-2 Equipment Cover
For P411M27, R611/811 and WA large mobile cabinets with conventional passenger-car sensors/targets or HD truck sensors. This cover will also fit S811 cabinets with HD truck sensors.

69-1187-2 Equipment Cover
For R811, S811 and WA small mobile cabinets without hangers for sensors or targets.

69-1025-2 Equipment Cover shown

Equipment covers are also available for P, R, and S mobile cabinet models.

213-47-2	**Convex Mirror**	
WA15-S	**Brake Pedal Depressor**	
28-75-1	**Steering Wheel Holder**	
20-2222-1	**Memory Upgrade Kit (512 MB)**	Provides an additional 512 MB to beige 811 Plus and Standard units.
20-2223-1	**Memory Upgrade Kit (1 GB)**	Provides an additional 1 GB to beige 811 Plus and Standard units.
20-2211-1	**Memory Upgrade Kit (1 GB)**	Provides an additional 1 GB to WA100/200 and 811-B Plus and Standard units.

Wheel Adaptor Storage Cart

20-1922-1 Wheel Adaptor Storage Cart
Hunter's Wheel Adaptor Storage Cart provides convenient access to alignment instruments when you need them and convenient storage when you don't. Storage Cart is compatible with hexagonal and high-definition targets and conventional sensors.

Storage Cart shown with HawkEye HS401 High-Definition Targets and adaptors.

The inspection process that locates repair orders in under three minutes

20-2785-1 CodeLink with XF2 Pod Kit*
Retrieves emission codes. Wirelessly transfers important vehicle information to console.

20-2782-1 Tire Tread Depth*
Quick and easy tire wear check. Conditions transmitted to console automatically.

20-2781-3 Battery Health*
Tests battery to OEM specs. Sends results to console wirelessly in 10 seconds.

*Requires WinAlign® 14.1 software in Quick Check™ mode.

Enhance your point-of-sale performance

HunterNet™ (HunterNetwork.com) provides front-shop personnel with quick, convenient access to a vast collection of vehicle-specific undercar information to help explain and sell service.

- ✔ Eliminate confusing technical conversations with easy-to-understand videos, animations and images
- ✔ Help your customers make informed decisions
- ✔ Drive repair authorizations to a new level
- ✔ Supplement other counter merchandising tools
- ✔ Make more informed pricing estimates
- ✔ Simplify training of service writers

HunterNet™

Hunter Networking Accessories

20-1760-1 Network Kit
Connects a Hunter aligner to a customer's network.

Available for WA100 and 811 consoles. Standard on WA400 and WA200 consoles.

20-2195-1 Wireless Network Kit
Connects WA100 or 811 consoles to a shop's existing 802.11 a/b/g wireless network.

Standard on WA400 and WA200 consoles.

For ordering information, contact your local Hunter Service Representative.

Complimentary HunterNet 3-year subscription included with HawkEye Elite and HawkEye alignment systems.

Complimentary HunterNet 1-year subscription included with current-year WinAlign specification updates.

Subscription valid for single-user only. Additional subscriptions required for multiple, simultaneous access.

WinAlign TUNER™
Custom Alignment for Modified Vehicles

20-2004-1 WinAlign Tuner Kit
WinAlign Tuner software, hardware and procedures enable your shop to align modified vehicles and increase your shop's profitability.

WinAlign Tuner software is an optional feature of WinAlign® software. Additional hardware is required, see Form 5118-T for more information.

WinAlign Tuner is standard with WA400, WA200 and 811 Plus consoles.

WinAlign Tuner™ features include:

Enhanced Tools and Kits
Integrated Bump Steer Measurement System
Electronic Vehicle Ride Height Measurement

20-2011-1 Bump Steer Winch Kit
Bump steer winch and laser scale enables the technician to collect bump steer measurements.

Requires WinAlign software version 8.1 or higher.

20-2005-1 WinAlign Plus Kit
Provides PHOTO/VIDEO on DVD and WinAlign Tuner for new or existing WA100 and 811 consoles with WinAlign 8.1 or higher.

These features are standard on WA400 and WA200 consoles.

Alternative Mounting Options

20-2479-1 CM Sensor Mounting Kit for Compact Cabinets

Replaces the existing cabinet base with a wider, more stable base for the HawkEye HS401CM sensors. This kit supports WA233, WA234, WA131, WA132, and S811 cabinets.

20-2313-1 Alternative Mounting Base for Pronto and PA121

Floor-mounted base holds a Pronto or PA121 console and wheel adaptors with targets.



20-2313-1

20-2321-1 HS401CM to Stand-Alone Mount Conversion Kit (Black)
20-2320-1 HS401CM to Stand-Alone Mount Conversion Kit (Red)

Two Stand-Alone Mount (SAM) conversion kits are available to convert a HS401CM with a movable camera boom from cabinet-mount to a floor stand-alone mount.

For detailed information on models, cabinets and accessories, contact your Hunter representative.

Hunter, ShopResults.NET, WebSpecs, HawkEye, QuickGrip, WinAlign and WinAlign Tuner are trademarks of Hunter Engineering Company.

0613JAP5M.74

MIX
Paper from responsible sources
FSC® C020623

HUNTER Engineering Company
www.hunter.com

Copyright © 2013, Hunter Engineering Company

Form 5414-T, 06/13
Supersedes 5414-T, 07/12